

PUBLIC DISPLAYS Protected

Information display. Digital Signage.



eVECO
Green approach. We care.



eTEC
CONRAC Technology
Makes your display last longer.

Innovation. Experience. Flexibility. Quality.

FRONT PROTECTION

Safety glass panel / Front protection rating IP53

eCOOL Innovative Cooling System

The intelligent cooling system works in two cycles, an open loop and a closed loop. Despite the Public Displays' safety glass panel, it cools the TFT panel from front and back. Depending on the display size and its power consumption, one, two or more air ventilation ducts can be integrated. Furthermore, a special sealing method avoids dust accumulation inside the display. The cooling system is very energy efficient and maintenance-free, reducing the cost of ownership.



Vienna Train Station / Austria



Changi Airport Singapore / Singapore



Nantes Airport / France



Antwerp Train Station / Belgium



Book shop Hollmann, Duesseldorf / Germany

Applications

AIRPORT

TRANSPORT

BUSINESS

Display of information, advertising and entertainment in waiting and sales areas (POI Point-of-Information / POW Point-of-Waiting / POS Point-of-Sale) where the displays need to be **front-protected**.

Airports

- Arrival & departure information
- Check-in
- Gate
- Baggage claim
- Information counters
- Lounges & waiting areas

Train & bus stations, subway & light rail stations, mountain railways, etc.

- Time tables
- Track information
- Ticket counters
- Information counters
- Information terminals
- Lounges & waiting areas

B2B

- Cultural facilities - museum, theatres, cinemas
- Government agencies & other public buildings
- Banking & finance
- Stadia & other sports facilities
- Leisure & recreational facilities
- Shopping malls
- Supermarkets & shops
- Exhibition & event centres
- Hotels & restaurants

Features & advantages

ROBUST TAMPER-PROOF DURABLE

Based on decades of experience CONRAC develops and produces real Public Displays, designed and engineered for 24/7/365 operation.

As a result of extensive R&D, CONRAC has implemented various vital cTEC functions into their displays to guarantee maximum reliability and durability, thus contributing to a reduced cost of ownership.

- Robust fire-retardant aluminium housings with powder coating (IP20)
- Vandal-proof: Safety glass panel with high efficiency anti-glare treatment for best legibility (IP53 front protection)
- Tamper-proof: External controls and connections are out of reach
- Innovative, patented, maintenance-free and dust proof cooling concept prolongs the display lifetime
- Dedicated for landscape and portrait mode applications
- Long-term service and support guaranteed


Further information: www.conrac.de

Products

Display type Diagonal	6032 PD 32" / 80cm	6040 PD 40" / 102cm	6046 PD 46" / 117cm	6055 PD 55" / 140cm
Resolution (pixel)	1366 x 768	1920 x 1080	1920 x 1080	1920 x 1080
Dimensions (mm) H x W x D	509 x 814 x 137.5	637 x 1041 x 144.8	707 x 1163 x 144.9	793 x 1322 x 165
Weight (+/- 10%)	23.8 kg	34.5 kg	43.5 kg	61.0 kg

Configurations

The modular concept allows the integration of different electronic platforms.



Display Solution (AV)	PC Solution (IPC)	System Solution (GEB*)
Monitor for connection to external signal sources	Hardware-platform for Windows based applications	All-in solution for Digital Signage Systems (Hardware & Software)
Display	Display	Display
	Integrated Industrial PC	Integrated Controller*
	Operating System (WinXP® embedded)	Operating System (RTOS**)
	Monitoring Software (CONRAC Tray)	Monitoring Software (emb. in Client Software)
		Client Software
		Server Software (optional)

* Graphic Engine Board

** non-Windows based operating system



CONRAC Technology

Makes your displays last longer.



Ambient Light Control



Black and White Expansion



Innovative Cooling System



Dynamic Contrast Control



Dynamic Noise Control



Display Performance Monitoring



Dynamic Pixel Refreshing



Eco-friendly products



Life Time Expansion



Pixel Shifting



Soft Picture Mode



Temperature Control System



True Movie Mode

Developed / Designed / Made in Germany

Head office & production:

CONRAC GmbH

Lindenstrasse 8 - D-97990 Weikersheim
Germany

Tel.: +49-7934-101 0

Fax: +49-7934-101 101

E-mail: info@conrac.de

Internet: www.conrac.de

Specification subject to change without prior notice.

GM pd-i-protected_flyer_0-0014_e_rev01

THOMAS

ELECTRONICS

OF AUSTRALIA PTY. LTD.

3 Sheridan Close

Milperra, NSW 2214 Australia

Tel: +61-2-8723 6500

E-mail: sales@thomas.com.au

Internet: www.thomas.com.au

Subsidiaries & Sales Offices:

CONRAC France - Paris

E-mail: info@conracfrance.fr

www.conrac.fr

Tel.: +33 (0)3-44 54 96 99

CONRAC Asia - Singapore

E-mail: sales@conrac-asia.com

www.conrac-asia.com

Tel.: +65-67 42 79 88

CONRAC MENA FZE - Dubai

E-mail: info@conrac.ae

www.conrac.ae

Tel.: +971-4 29 94 009

CONRAC South Africa - Johannesburg

E-Mail: info@conrac.co.za

www.conrac.co.za

Tel.: +27-83-635 0369

CONRAC Latin America - Bogota

E-Mail: info@conrac.com.co

www.conrac.com.co

Tel./Fax: +57-1-34 65 338

CONRAC Sales Office Southern Europe - Rome

E-mail: info@conrac.it

www.conrac.it

Tel.: +39 06-45 43 92 02

CONRAC Sales Office Northern Europe - Helsingborg

E-mail: info@conrac.se

www.conrac.se

Tel.: +46 42 212 939

